

# NOTICE 2020

PLM Lake and Land Management Corp  
 PO Box 424, Ewart, MI 49631  
 (800) 382-4434(o) (231) 372-5900(f)  
 www.plmcorp.net



The property owners in this area are planning to have the waters chemically treated to control lake weeds and/or algae. This notice is being circulated in accordance with Department of Environment, Great Lakes and Energy (EGLE) procedures. Below is a list of herbicides that **may** be applied to the lake and the associated use restrictions. On the day of treatment, signs will be posted along the shoreline within 100 feet of treatment areas that indicate what products were used and specific water use restrictions that apply:

Chemical product/active ingredient	Chemical trade name	Do Not Use this water for swimming or bathing until	Do Not Use this water for ornamentals or turf irrigation until	Do Not Use this water for domestic purposes or agriculture irrigation until	Do Not Use this water for livestock watering or similar purposes until
Flumioxazin	Clipper, Schooner	1 Day(s)	3 Day(s)	5 Day(s)	N/A
2,4-D ester	Navigate 2,4-D	1 Day(s)	INDEF or until approved assay indicates a concentration of 100ppb or less for ornamentals; No restriction for established turf	INDEF or until approved assay indicates a concentration of 70ppb or less	N/A
Triclopyr liquid	Navitrol , Renovate 3	1 Day(s)	120 Day(s) or until approved assay indicates 1ppb or less; No restriction for established turf/grasses	120 Day(s) or until assay indicates 1ppb or less. N/A on domestic	N/A
Triclopyr granular	Navitrol DPF , Renovate OTF	1 Day(s)	Site-specific recommendation* No restriction for established turf/grasses	120 Day(s) or until assay indicates 1ppb or less. N/A on domestic	N/A
Florpyrauxifen-Benzyl	ProcellaCOR	1 Day(s)	Site-specific recommendation* No restriction for established turf/grasses	N/A on domestic; assay indicates no detect at the water intake	N/A
2,4-D amine	Sculpin G	1 Day(s)	Site-specific recommendation* No restriction for established turf/grasses	N/A on domestic; assay indicates levels under 100ppb at the water intake	N/A
Diquat Dibromide	Tribune	1 Day(s)	3 Day(s)	5 Day(s)	1 Day(s)

Cygnat Plus, PolyAn: Adjuvant,	<b>No Restrictions</b> on swimming, bathing, irrigation, domestic purposes or livestock watering.
--------------------------------	---

For a complete listing of all product labels, please see our website.

N/A= Not Applicable INDEF= Indefinite

**\*Site-Specific recommendations to limit ornamental irrigation with ProcellaCOR, Renovate & Sculpin granular treated water will typically last 2-14 days. Contact PLM for further information.**

The chemicals used for Aquatic Nuisance Control are registered by the U.S. Environmental Protection Agency and the Department of Environment, Great Lakes and Energy. The potential for damage to fish and other non-target organisms is minimal provided that the product is used as directed on the product label and the permit. To minimize the possible effects on health and the environment, the treated water is restricted for the above purposes.

**PLM Lake & Land Management Corp. Certified Applicators:** Salvatore Adams, Jason Broekstra, Adam Cichon, Bill D'Amico, Jaimee Desjardins, Jeff Fischer, Christopher Garner, BreAnne Grabill, Dustin Grabill, Steve Hanson, Kyle Heath, Jake Hunt, Caleb Hutchinson, Jacob Irons, Douglas Isanhart, Adam Kehr, Michael Krueger, James Lee, Anna Lindquist, Blake Mallory, Michael Pichla, Wile Preston, Eric Reed, Cameron Robinson, James Scherer, Alison Schermerhorn, Ben Schermerhorn, Casey Shoaff, Lucas Slagel, Keith terHorst, Jeff Tolan, Andy Tomaszewski, Dennis Vangessel, Andrew Weinberg

## 2020 TENTATIVE TREATMENT SCHEDULE

Cisco Chain of Lakes have been scheduled for the **week** of:

Date	Description	Date	Description
June	Survey, EWM Treatment	July/August	Survey, EWM Treatment
		August/September	End of year survey

DEQ permitting restrictions, national holidays, and/or weather conditions may influence the timing of treatments throughout the 2020 season. PLM treats each lake according to a schedule or season plan, established with the cooperation of your lake association, lake board or residents on the lake. The treatment schedule is approximate. Please watch your shoreline for the posting of the 8.5x11 inch, yellow or green signs. The signs will indicate the date of the treatment, the products used, and any restrictions on the use of treated water for swimming, watering lawns, etc.